

Traditional PVC Hose Range - Select Hose



The starter hose

General purpose, hard wearing hose

- 1 Weather proof with UV & frost protection
- 2 ErgoRibs
- 3 Braided reinforcement
- 4 Smooth inner layer



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	6015P0000	Select Hose	12.5	15	Braided	4	10	-20 to +60	20
	6020P0000	Select Hose	12.5	20	Braided	4	10	-20 to +60	20
	6020P9000	Select Hose Starter Set	12.5	20	Braided	4	10	-20 to +60	20
	6020P9018	Select Hose Starter Set Pallet	12.5	20	Braided	4	10	-20 to +60	20
	6025P0000	Select Hose	12.5	25	Braided	4	10	-20 to +60	20
	6025P9000	Select Hose Starter Set	12.5	25	Braided	4	10	-20 to +60	20
	6025P9018	Select Hose Starter Set Pallet	12.5	25	Braided	4	10	-20 to +60	20
	6030P0000	Select Hose	12.5	30	Braided	4	10	-20 to +60	20
	6040P0000	Select Hose	12.5	40	Braided	4	10	-20 to +60	20
	6050P0000	Select Hose	12.5	50	Braided	4	10	-20 to +60	20
	6115P9000	Select Hose Starter Set	15	15	Braided	4	10	-20 to +60	20
	6120P0000	Select Hose	15	20	Braided	4	10	-20 to +60	20
	6125P0000	Select Hose	15	25	Braided	4	10	-20 to +60	20
	6150P0000	Select Hose	15	50	Braided	4	10	-20 to +60	20
	6225P0000	Select Hose	15	25	Braided	4	10	-20 to +60	20
	6250P0000	Select Hose	15	50	Braided	4	10	-20 to +60	20

Traditional PVC Hose Range - Tricoflex Ultraflex Hose



The flexible hose

Flexible anti-kink hose

- 1 Weather proof with UV & frost protection
- 2 ErgoRibs
- 3 TNT™ anti-twist technology
- 4 Soft & Flex technology
- 5 Smooth inner layer



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	117000	Ultraflex Hose	12.5	10	Knitted TNT™	5	20	-15 to +60	20
	117001	Ultraflex Hose	12.5	15	Knitted TNT™	5	20	-15 to +60	20
	117002	Ultraflex Hose	12.5	20	Knitted TNT™	5	20	-15 to +60	20
	117003	Ultraflex Hose Box Pallet	12.5	20	Knitted TNT™	5	20	-15 to +60	20
	117004	Ultraflex Hose Starter Set	12.5	20	Knitted TNT™	5	20	-15 to +60	20
	117005	Ultraflex Hose Starter Set Box Pallet	12.5	20	Knitted TNT™	5	20	-15 to +60	20
	117006	Ultraflex Hose	12.5	25	Knitted TNT™	5	20	-15 to +60	20
	117007	Ultraflex Hose Starter Set	12.5	25	Knitted TNT™	5	20	-15 to +60	20
	117008	Ultraflex Hose	12.5	30	Knitted TNT™	5	20	-15 to +60	20
	117009	Ultraflex Hose	12.5	50	Knitted TNT™	5	20	-15 to +60	20
	117010	Ultraflex Hose Box Pallet	12.5	50	Knitted TNT™	5	20	-15 to +60	20
	117020	Ultraflex Hose	15	15	Knitted TNT™	5	20	-15 to +60	20
	117021	Ultraflex Hose Starter Set	15	20	Knitted TNT™	5	20	-15 to +60	20
	117022	Ultraflex Hose Starter Set Pallet	15	20	Knitted TNT™	5	20	-15 to +60	20
	117023	Ultraflex Hose	15	25	Knitted TNT™	5	20	-15 to +60	20
	117024	Ultraflex Hose	15	50	Knitted TNT™	5	20	-15 to +60	20
	117034	Ultraflex Hose	19	20	Knitted TNT™	5	20	-15 to +60	16
	117035	Ultraflex Hose Starter Set	19	20	Knitted TNT™	5	20	-15 to +60	16
	117036	Ultraflex Hose	19	25	Knitted TNT™	5	20	-15 to +60	16
	117037	Ultraflex Hose	19	50	Knitted TNT™	5	20	-15 to +60	16
	117040	Ultraflex Hose (no stripe)	25	7	Knitted TNT™	5	20	-15 to +60	16
	117041	Ultraflex Hose (no stripe)	25	25	Knitted TNT™	5	20	-15 to +60	16
	117042	Ultraflex Hose (no stripe)	25	50	Knitted TNT™	5	20	-15 to +60	16


Traditional PVC Hose Range - Tricoflex Ultramax Hose



The tough hose

Robust, anti-crush, & anti-kink hose

- 1 Weather proof with UV & frost protection
- 2 ErgoRibs
- 3 TNT™ anti-twist technology
- 4 Soft & Flex technology
- 5 Smooth inner layer



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	116240	Ultramax Hose	12.5	15	Knitted TNT™	5	25	-15 to +60	25
	116241	Ultramax Hose	12.5	25	Knitted TNT™	5	25	-15 to +60	25
	116242	Ultramax Hose Starter Set	12.5	25	Knitted TNT™	5	25	-15 to +60	25
	116243	Ultramax Hose	12.5	30	Knitted TNT™	5	25	-15 to +60	25
	116244	Ultramax Hose	12.5	50	Knitted TNT™	5	25	-15 to +60	25
	116247	Ultramax Hose Starter Set	15	20	Knitted TNT™	5	25	-15 to +60	25
	116248	Ultramax Hose	15	25	Knitted TNT™	5	25	-15 to +60	25
	116249	Ultramax Hose	15	50	Knitted TNT™	5	25	-15 to +60	25
	116251	Ultramax Hose	19	25	Knitted TNT™	5	25	-15 to +60	20
	116252	Ultramax Hose	19	50	Knitted TNT™	5	25	-15 to +60	20
	116255	Ultramax Hose (no stripe)	25	25	Knitted TNT™	5	25	-15 to +60	18
	116256	Ultramax Hose (no stripe)	25	50	Knitted TNT™	5	25	-15 to +60	18


Traditional PVC Hose Range - Super Tricoflex Ultimate Hose



The ultimate hose


Ultra-light, flexible, anti-kink & robust hose

- 1 Weather proof with UV & frost protection
- 2 Soft & Flex technology
- 3 TNT™ anti-twist technology
- 4 Soft & Flex technology
- 5 Smooth inner layer



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	116758	Ultimate Hose	12.5	20	Knitted TNT™	5	30	-20 to +60	35
	116761	Ultimate Hose	12.5	25	Knitted TNT™	5	30	-20 to +60	35
	116774	Ultimate Hose	12.5	30	Knitted TNT™	5	30	-20 to +60	35
	116787	Ultimate Hose	12.5	50	Knitted TNT™	5	30	-20 to +60	35
	116788	Ultimate Hose	12.5	100	Knitted TNT™	5	30	-20 to +60	35
	142584	Ultimate Hose	15	10	Knitted TNT™	5	30	-20 to +60	35
	139068	Ultimate Hose	15	15	Knitted TNT™	5	30	-20 to +60	35
	139071	Ultimate Hose	15	25	Knitted TNT™	5	30	-20 to +60	35
	139084	Ultimate Hose	15	50	Knitted TNT™	5	30	-20 to +60	35
	139142	Ultimate Hose	19	25	Knitted TNT™	5	30	-20 to +60	27
	139155	Ultimate Hose	19	50	Knitted TNT™	5	30	-20 to +60	27
	139157	Ultimate Hose	19	100	Knitted TNT™	5	30	-20 to +60	27
	048290	Ultimate Hose	25	25	Knitted TNT™	5	30	-20 to +60	20
	048291	Ultimate Hose	25	50	Knitted TNT™	5	30	-20 to +60	20
	048292	Ultimate Hose	25	100	Knitted TNT™	5	30	-20 to +60	20
	048500	Ultimate Hose	30	25	Knitted with spiral	5	30	-20 to +60	20
	048501	Ultimate Hose	30	50	Knitted with spiral	5	30	-20 to +60	20
	139919	Ultimate Hose (set)	15	15	Knitted TNT™	5	30	-20 to +60	35
	140834	Ultimate Hose (set)	15	20	Knitted TNT™	5	30	-20 to +60	35
	139893	Ultimate Hose (set)	15	25	Knitted TNT™	5	30	-20 to +60	35
	139097	Ultimate Hose (drum)	15	80	Knitted TNT™	5	30	-20 to +60	35
	139168	Ultimate Hose (drum)	19	50	Knitted TNT™	5	30	-20 to +60	27

Alternative Hose Range - Superhoze and Tuffhoze



The expanding hose

Superhoze

Expands up to x3 its original length with no kinks or tangles

- 1 Hozelock compatible system
- 2 Quality leak-free connection
- 3 Highly elastic core
- 4 Smooth inner to enhance water flow
- 5 Woven fabric outer layer/textile

Expands up to **x3**

Lightweight

Never Kinks



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	8207	Superhoze	18	7.5	Expanding	2	5*	0 to +40	28
	8215	Superhoze	18	15	Expanding	2	5*	0 to +40	28
	8230	Superhoze	18	30	Expanding	2	5*	0 to +40	28
	8240	Superhoze	18	40	Expanding	2	5*	0 to +40	28



The hybrid hose

Tuffhoze

Advanced hybrid technology combining the best of two hose technologies

Compared to traditional hoses:

- 2 Up to 50% lighter
- 3 Kink free and easy to manoeuvre
- 4 Super tough and durable
- 5 Easy to store



SAP Code	Product Code	Hose Name	Ø (mm)	Length (m)	Technology	Layers	Guarantee	Operating Temperature (°C)	Burst Pressure (Bar)
	8112A1240	Tuffhoze	18	12.5	Hybrid	2	30	-15 to +60	40
	8125A1240	Tuffhoze	18	25	Hybrid	2	30	-15 to +60	40
	8135A1240	Tuffhoze	18	35	Hybrid	2	30	-15 to +60	40

Notes: Alternative hose diameters are based on the internal size and may vary dependant upon water pressure.

Superhoze lengths are up to the value given and are dependent upon water pressure.

It is recommended that all hoses are emptied after use and put away during cold or frosty weather.

*3 year guarantee + additional 2 years if you register online with Hozelock.

Terms and conditions apply: www.hozelock.com/guarantee